



DULICO MANUFACTURING & TRADING



04 - 05 Vision - mission, message of CEO 06 - 07

Introduction to Dulico

08 - 14 Brass strips

15 - 18 Commercial products

19 - 23 Mechanical products

24 - 25

Quality Management & Production Process

COPPER & COPPER ALLOY



VISION

Dulico aspires to become the leading enterprise in the field of copper material production and

MISSION

Providing high-quality copper materials and mechanical parts. Recycling and circulating copper materials.

CORE VALUES

Integrity: Maintaining integrity. Saving: Using resources sparingly, minimizing waste



DULICO

Compassion - Wisdom - Integrity - Thrift - Kindness

DULICO

Director Mr. Nguyen Trong Duy

Dear Valued Partners,

Dulico is proud to be a pioneer in localizing and producing brass strips, contributing to proactively supplying raw materials for domestic copper coil enterprises. With our relentless efforts, we will continue to invest in research and development to expand our copper alloy portfolio, while promoting the export of copper components and materials with higher added value to the global market. Thereby, Dulico not only wants to create more jobs but also contribute to bringing foreign currency to the country.

With a strategy focusing on people, quality and a win-win mindset, we look forward to cooperating with our Partners for a common prosperity. We believe that, together, we will achieve greater success and sustainable development.

Business Philosophy

We build up a solid team of wholeheartedly, responsible and highly disciplined people and a working environment which focuses on fairness, friendliness and everyone has space to grow and develop himself.



ABOUT DULICO

Company name: MANUFACTURING & TRADING DULICO COMPANY LIMITED Founded: 1991 Representative: Mr. Nguyen Trong Duy Factory investment: **10.000.000 USD** Company capital: 2.100.000 USD Employee: 120 people (May 2024) Area: 8.000 m²

WHAT WE DO?

- Casting and rolling of the brass strip, plate and rods.
- Trading other types of brass strips.
- Producing stamping parts OEM & ODM on various metals.
- Producing lock parts: core, body, lock, key, cover, hinge, etc.
- Machining products with CNC lathe technology.





Headquarter & Factory 1: Lot A2, CN 7, Tu Liem Industrial Cluster, Nam Tu Liem, Hanoi, Vietnam

www.dulico.vn

⊠ info@dulico.vn © 02437805037



Factory 2: Lot 37, Quang Minh Industrial Park, Me Linh, Hanoi, Vietnam



WHY DULICO?

CERTIFICATES & ACHIEVEMENTS



EXPORT

Currently, Dulico brand brass strips products have been exported to Canada, Japan and many other countries in the world.



DULICO

NG HÒA XÃ HỘI CHỦ NGHĨA V Độc lập - Tự do - Hanh nhớ NHÂN DÂN THÀNH PHÔ CHỨNG NHẬN Run

Top 10 key industrial products of Hanoi City 2023

BRASS STRIPS

MACHINERY & EQUIPMENT

Casting Line - China Surface Milling Line - China Rough & Finish Rolling Line - China Surface Cleaning Line - China Copper Annealing Furnace - China Splitting Line - China

QC Inspection

Copper Analyzer - Spectro - Germany HV Hardness Analyzer - FUTURE-TECH - Japan HRB Hardness Analyzer - China Caliper - Mitutoyo - Japan Roughness Analyzer - Mitutoyo - Japan Panme - Mitutoyo - Japan Automatic Copper Strip Thickness Gauge - China

PER & COPPER ALLOY


QUALITY

	3
	2
	3
	2
	2
	2
	1
	1
	1
1	30
	1
	10
	2





PRODUCTION PROCESS





Standards of brass produced by DULICO

Alloy code	Dele Chemical composition (%)									
	Cu	Pb	Fe	AI	Zn	Rest	Hardness (H)	Thickness	Width	
C2801	59 ÷ 62	≤0.1	≤0.07	≤0.05	Remain	<0.3	O;H/4;H/2;H			
C2720	62 ÷ 64	≤0.05	≤0.05	≤0.07	Remain	<0.3	O;H/4;H/2;H			
C2680	64 ÷ 68	≤0.05	≤0.05	≤0.05	Remain	<0.3	O;H/4;H/2;H;EH;SH	0.2-10mm	6-450mm	
C2600	68.5 ÷ 71.5	≤0.05	≤0.05	≤0.05	Remain	<0.3	O;H/4;H/2;H;EH;SH			
C2400	78.5 ÷ 81.5	≤0.05	≤0.05	≤0.05	Remain	<0.3	O;H/4;H/2;H;EH;SH	1		

DULICO

10

11



Brass strips have common properties of good electrical and thermal conductivity, ductility, and high durability. Dulico's brass strip is also produced through a strict quality control process. This ensures that the product always has straightness, accurate thickness tolerance, uniform hardness, and clean, bright surface quality.

APPLICATIONS

- Household electricity
- Automobiles

- Construction materials

- Electronics
- Industrial electricity

QUALITY CERTIFICATE

Dulico's brass strips products meet the international copper standard C2801, C2680 component testing standards and ROHS cleanliness standards.





Mechanical properties

Alloy code	Temper	Tensile strength (N/mm ²)	Elongation (%)	Bending angle	Vickers Hardness (HV)
	0	≥325	≥35	180°	-
00001	1/4H	355-440	≥25	180°	85-145
C2801	1/2H	410-490	≥15	180°	105-160
	н	≥470	-	90°	≥130
	0	≥275	≥40	180°	-
00700	1/4H	325-410	≥35	180°	75-125
C2720	1/2H	355-440	≥28	180°	85-145
	н	≥410	-	180°	≥105
	0	≥275	≥35	180°	-
	1/4H	325-410	≥30	180°	75-125
	1/2H	355-440	≥28	180° or W	85-145
00000	3/4H	375-490	≥10	180° or W	95-165
C2680	н	410-540	-	180° or W	105-175
	EH	520-620	-	-	145-195
	SH	570-670	-		165-215
	ESH	≥620	-	-	≥ 180
	0	≥275	≥35	180°	-
	1/4H	325-420	≥30	180°	75-125
	1/2H	355-450	≥23	180° or W	85-145
C2600	3/4H	375-490	≥10	180° or W	95-160
	Н	410-540	-	180° or W	105-175
	EH	520-620	-	-	145-195
	SH	570-670	-	-	165-215
	0	≥255	≥44	180°	-
00400	1/4H	295-375	≥30	180°	-
C2400	1/2H	325-400	≥25	180°	-
	Н	≥375	-	180°	-



Standards of copper produced by DULICO

Alloy code	Alloy code Chemical composition (%)								Size	
	Cu	Pb	Fe	Ni	Р	Remain	Hardness (H)	Thickness	Width	
C1020 - OFC	≥99.97	-	-	-	-	-	O;H/4;H/2;H;EH;SH			
C1100 - TPC	≥99.90	-	-	-	-	-	O;H/4;H/2;H;EH;SH	0.0.10	0.450	
C1201 - PDC	≥99.90	-	-	-	-	≤0.004 - 0.014	-	0.2-10mm	6-450mm	
C1220 - PDC	≥99.90	-	-	-	-	≤0.015 - 0.04	O;H/4;H/2;H;EH;SH			

Mechanical properties

Alloy code	Temper	Tensile strength (N/mm ²)	Elongation (%)	Bending angle	Vickers Hardness (HV)
	0	≥195	≥20	180°	-
C1020	1/4H	215-285	≥15	180°	55-100
01020	1/2H	235-315	≥10	180°	75-120
	н	≥275	-	90°	≥80
	0	≥195	≥20	180°	-
	1/4H	215-285	≥15	180°	55-100
C1100	1/2H	235-315	≥10	180°	75-120
	н	≥275	-	180°	≥80
	0	≥195	≥20	180°	-
C1201	1/4H	215-285	≥15	180°	55-100
C1220	1/2H	235-315	≥10	180°	75-120
	н	≥275	-	180°	≥80

DULICO

13



Copper strips is copper containing at least 99.90% copper.

PROPERTIES

Copper strip is easy to process, weld, plate and has high anti-corrosion. In addition to outstanding properties such as high stability, excellent electrical conductivity, Dulico's copper products are also produced through a strict quality control process to ensure the indexes of thickness, uniform hardness, smooth surface, flat copper strip, no warping or sagging.

APPLICATIONS

Copper strip is widely used in many different industries, especially in the electrical and electronics industry.





COMMERCIALS PRODUCTS



TIN PHOSPHOR BRONZE STRIP



NICKEL SILVER STRIP

QUALITY MANAGEMENT

The goal of the quality control process at DULICO is to ensure that no defective products reach the customers. We comply with ISO 9001 standards for quality management, from the assessment and screening of input materials to the production stages. Copper in the furnace is analyzed by German Spectro spectrometer; thickness tolerance is checked by modern AGC thickness gauge; hardness is measured by Japanese HV analyzer; copper surface and color fastness are strictly controlled by roughness analyzer and salt spray equipment.

Quality management equipment




DULICO

15



LEAD FRAME STRIP





TIN PHOSPHOR BRONZE STRIP

PROPERTIES

APPLICATIONS



Standards of Tin phosphor bronze strip

Alloy code	Chemical composition (%)									Size	
	Cu	Sn	Fe	Ni	Р	Zn	Others	Hardness (H)	Thickness	Width	
C5191	93.5	6.5	-	-	0.03 - 0.35	-	Cu+Sn+P ≥99.5	H/4;H/2;H			
C5210	92	8	-	-	0.03 - 0.35	-	Cu+Sn+P ≥99.5	H/4;H/2;H			
C5071	98	2	-	-	≤0.15	-	Cu+Sn+P ≥99.5	H/4;H/2;H			
C5111	95.1 - 96.5	3.5 - 4.9	-	-	0.03 - 0.35	-	Cu+Sn+P ≥99.5	H/4;H/2;H	0.10-3.00mm	20-600mm	
C41120	91	0.8	0.15	-	-	Remain	Zn	H/2;3/4H			
C44500	72-75	0.5-1.2	-	-	-	Remain	Zn	1/2H;3/4H;H;EH;SH	-		

NICKEL SILVER STRIP

Nickel silver strip is an alloy containing copper, zinc and nickel.

PROPERTIES

In addition to the common properties of copper such as electrical conductivity, thermal conductivity, and high ductility, nickel silver strip also has good anti-corrosion, mechanical properties, antibacterial properties, and good radiation protection.

APPLICATIONS

Nickel silver strip is widely used in applications such as internal shielding in mobile phones or in crystal oscillators. Nickel silver strips are often used to form conductive shields around circuit boards, chips and antennas, preventing interference from external sources and ensuring the correct operation of communication systems.

Standards of Nickel silver strip

Alloy code	Chemical composition (%)								Size	
	Cu	Pb	Fe	Zn	Ni+Co	Mn	Hardness (H)	Thickness	Width	
C7701	54.0 - 58.0	⊴0.03	≤0.25	Remain	16.5 - 19.5	≤0.50	O;H/4;H/2;H;EH;SH			
C7521	62.0 - 66.0	⊴0.03	≤0.25	Remain	16.5 - 19.5	≤0.50	O;H/4;H/2;H;EH;SH	0.15-3.00mm	20-400mm	
C7351	70.0 - 75.0	⊴0.03	≤0.25	Remain	16.5 - 19.5	≤0.50	O;H/4;H/2;H;EH;SH			








BASIC PROPERTIES

Copper lead frames is a copper alloy with many outstanding advantages in terms of electrical conductivity, mechanical strength, machinability, corrosion resistance and thermal stability.

APPLICATIONS

Copper lead frames are widely used in the electronics and electrical industries, especially in the production of lead frames and integrated circuit components.



Standards of Lead frame strip

Alloy code	Chemical compo	Chemical composition (%)							
	Pb	Fe	Sn	Zn	Р	Cu	Hardness (H)		
C1921	-	0.05-0.15	-	-	0.015-0.050	Remain	O; H/2; H		
C1940	≤ 0.03	2.1-2.6	-	0.05-0.20	0.015-0.150	Remain	O; H/2; H; EH; SH		



MACHINERY & EQUIPMENT

Stamping

Stamping machine Stamping machine Stamping machine Stamping machine Stamping machine

Surface Treatme Sanding and Felt Pe Automatic Hinge Po Water Abrasive Sur

CNC

CNC Lathering - Tai

Mold

Mechanical lathe -Mechanical milling Mechanical surface Wire cutting machine - China

QC inspection

Caliper - Mitutoyo -Panme - Mitutoyo -2D measuring mach Salt spray machine



MECHANICAL PROCESSING

QUALITY


rom 10 – 160 T - Czechoslovakia/Japan	30
260 T with automatic feeder - Chinfong - Taiwan	1
10 T with automatic feeder - Komatsu - Japan	1
60 T with automatic feeder - Komatsu - Japan	1
30 T with automatic feeder - Komatsu - Japan	2
nt and a second	-11
lishing Machine	10
lishing Machine	2
ace Treatment Machine	3
wan/China	7
apan	2
nachine - Japan	3
grinder - Japan	3

Japan	30
Japan	10
nine	1
- China	1



STAMPING

With the proactive source of brass strips materials, Dulico has a huge advantage in the stamping and punching of copper parts. In addition, Dulico also stamps on different materials, based on the drawings and requirements of customers.





IMAGES









DULICO

20


MACHINERY & FACTORY





COPPER & BRASS FITTINGS

From the source of copper material cast at the factory, Dulico directly processes CNC lathes at competitive costs. Dulico's copper parts have conquered customers in the Japanese market.



HINGE

Dulico specializes in manufacturing door hinges made of steel, stainless steel, and copper. As a long-term partner of famous lock and door brands in Vietnam, we produce a variety of different hinges.







DULICO

22

DULICO

QUALITY MANAGEMENT

The goal of the quality control process is to ensure that no defective products reach the customer. Dulico complies with ISO 9001 standards for quality management. Input materials from suppliers are carefully evaluated and screened. Dulico strictly controls all stages of the production process and controls the final product.



PRODUCTION AND ORDERING PROCESS



Get drawings &

sample products



Design mold



Delivery



Mass production

हिष्टि





DULICO





DULICO MANUFACTURING & TRADING CO. LTD



Headquarter & Factory 1: Lot A2, CN 7, Tu Liem Industrial Cluster, Nam Tu Liem, Hanoi, Vietnam Factory 2: Lot 37, Quang Minh Industrial Park, Me Linh, Hanoi, Vietnam ⊕ www.dulico.vn ⊠ info@dulico.vn ⊗ 02437805037